

## **DIVISION 2 - SITEWORK**

### **Section 02200- Earthwork**

#### **Introduction**

Inclusion of the Soil Report in the specifications is not permitted on University projects. The Consultant shall make the Report available at his office for Contractor's inspection if they so desire. It is the responsibility of the structural engineer to interpret the report and include specifications for soil preparation in accordance with his structural design. The Consultant should be aware that earthwork may involve not only preparation of soils for building and structures but for parking lots, slabs on grade (sidewalks) and landscaped areas. Appropriate references to other specification sections should be included.

Determine if construction activity resulting from the project will disturb *1 acre* or more. If *1 acre* or more *is* disturbed a Storm Water Pollution Prevention Plan (SWPPP) will be required and an EPA NPDES Storm Water Construction General Permit must be secured. U of A Environmental Health & Safety may be contacted for guidance in securing this permit and filing the associated EPA Notice of Intent (NOI).

#### **Part 1 - General**

- Surplus material shall become the property of the Contractor and removed from the site.
- Rubble, trash and other demolished materials shall be taken to the appropriate dump sites and disposed of legally.
- Soil testing of compacted fill and/or inspection of caissons will be accomplished and paid for by the University.

#### **Part 2 - Products**

- There are no unique University requirements.

#### **Part 3 - Execution**

- Comply with City or Tucson and Pima County dust control standards.

**End of Section 02200**